

index

- A**
 - AAD *See* Azure Active Directory
 - access token 377
 - ACE OLE DB provider 184
 - AcquireTokenAsync 382
 - Active Directory 142
 - active relationships 195
 - Admin Portal 61, 273
 - alerts 18, 92, 94, 110
 - in Power BI Mobile 115
 - ALL function 215, 227
 - ALLEXCEPT function 215
 - ALLOBLANKROW function 215
 - Analysis Services
 - connecting to 57, 131
 - importing data from 152
 - integrating with Power BI 317
 - analytical features 204
 - Analytics tab 67
 - Analyze in Excel 46, 87, 275
 - for drilling through 244
 - Android native app 111
 - animation 398
 - annotations 22, 120
 - Apiary 346
 - appFigures 142
 - application registration 351
 - apps 21, 43
 - AppSource 32, 34, 53, 65, 287
 - ArcGIS 73, 275
 - Area Chart 69
 - Atom 154
 - auditing 276
 - AuthenticationContext class 356
 - AuthenticationResult 377
 - Authorization header 347
 - AutoComplete 213
 - AVERAGEX function 213
 - Azure Active Directory 26, 42, 278
 - external users 290
 - Azure Analysis Services 48, 316
 - Azure Data Catalog 11
 - Azure Data Factory 11
 - Azure Event Hubs 325
 - Azure Machine Learning 7, 11, 33, 329
 - creating models 330
 - integrating with Power BI 333
 - Azure Management Portal 353
 - Azure Marketplace 142, 154
 - Azure Search Service 275
 - Azure SQL Data Warehouse 27, 48
 - Azure SQL Database 48
 - Azure Stream Analytics 11, 325, 327
 - Azure Table Storage 10
 - Azure Traffic Manager 26
- B**
 - B2B 289
 - B2C 289
 - Bar Chart 69, 79
 - Basic Map 72
 - BI pro 32
 - Big Data 12
 - Binary data type 183
 - binning 246
 - BISM 313
 - bitness considerations 133
 - bookmarks 61, 264
 - Bookmarks Pane 136, 264
 - Bullet Chart 76
 - business intelligence 1
 - business user 28
- C**
 - CALCULATE function 215, 227
 - calculated columns
 - and row context 209
 - implementing 218
 - introducing 209
 - storage 209
 - when to use 210
 - calculated tables 218
 - CALCULATETABLE function 215
 - calendars 279
 - Canvas 34
 - Capacity Admins 300
 - Capacity Assignment 300
 - capacity nodes 297
 - Capacity settings 301
 - chromeless mode 45
 - cloud services 15, 47
 - Clustered Bar Chart 69
 - Clustered Column Chart 69
 - clustering 254
 - collaborative features 279
 - Column Chart 69, 79, 81
 - column from example 160
 - columns
 - hiding 186
 - referencing in DAX 213
 - removing 186
 - renaming 185
 - resizing 185
 - sorting 187
 - columnstore index 5
 - Combination Chart 70
 - Combo Chart 80
 - conditional access 272
 - conditional formatting 71, 247
 - Content Delivery Network 26
 - content packs 46
 - correlations 83
 - Cortana 12, 260, 275
 - Cortana Analytics Suite 3, 11, 330
 - Cortana answer cards 261
 - Cosmos DB 10, 142
 - COUNT function 213, 214
 - COUNTA function 214
 - COUNTAX function 213, 214
 - COUNTBLANK function 214
 - COUNTROWS function 214
 - COUNTX function 214
 - Create Relationship window 198
 - credit risk management 12
 - cross filtering 128, 195
 - cross highlighting 15
 - cross-sell 12
 - CSS 389
 - CSV files 150
 - Currency data type 183
 - custom apps
 - permissions 352
 - registering in Azure 353
 - registering in Power BI 375
 - custom columns
 - adding in query 167
 - in Query Editor 160
 - custom page sizes 61
 - custom sorting 182, 187
 - custom visuals 31, 34
 - capabilities 398
 - debugging 393
 - host integration 386
 - importing 65, 403
 - packaging 401

- publishing 402
- understanding 75, 385

CUSTOMDATA function 319

customer acquisition 12

D

D3.js 34, 389

dashboard actions 95

dashboards

- actions 52
- API 344
- defined 51
- distributing 52
- duplicating 96
- embedding 368
- in Power BI portal 45
- mobile viewing 114
- options for creating 52, 99
- printing 96
- sharing in Power BI Mobile 119
- sharing options 97
- understanding 91
- working with 105

Data Analysis Expressions 314

- functions 213
- operators 212
- understanding 208

data analyst 30

data bars 248

data categories 206

data classification 275

data collation 182

data connectors 35

data import API 343

Data Lake 12, 142

data mart 313

Data Mining add-in 7

data models

- publishing 140
- understanding 123

data refresh

- in Power BI Desktop 191
- scheduling 283

data security 232

- and embedding 383
- and workspaces 281
- testing 235

Data Source Settings 140

data sources

- in Power BI Desktop 30
- managing 310
- types of access 48

data storytelling 259

data types 183

- reason for changing 184

Data View 134

data warehouse 313

data warehousing 33, 38

Data-driven Documents *See* D3.js

dataRoles 398

datasets

- actions 49
- creating programmatically 357
- definitions 340
- deleting 49
- renaming 49
- understanding 47

dataView object 396

dataViewMappings 399

Datazen 11

Date data type 183

date tables

- creating with queries 174
- importing 149
- importing from feed 154
- understanding 126

DATEADD function 217

DATESBETWEEN function 217

DATESINPERIOD function 217

DATESMTD function 217

DATESQTD function 217

DataStream feed 154

DATESYTD function 217

DAX 208, *See* Data Analysis Expressions

DAX Studio 226

DAXMD 131

Decimal Number data type 183

Decision Tree 331

defaultRetentionPolicy 342

denormalization 125

descriptive analytics 2

dimensions 38, 125

DirectQuery 77, 130, 314

DirSync 269

DISTINCT function 215

DISTINCTCOUNT function 214

DNS Service 26

Doughnut Chart 70

Drill tab 138

drilling across 243

drilling down 61, 138, 243

drilling through 53, 92, 107, 115, 244

drillthrough filters 245

duplicating pages 65

Duration data type 183

dynamic data security 237

Dynamic Management Views 226

Dynamics CRM 15, 29, 142

E

EARLIER function 215

EARLIEST function 215

Edit Interactions 138

Edit Queries 134

Editing View 64

EDM data types 341

effective identity 383

EffectiveUserName 307, 318

embed codes 61

embed configuration 366

embed token 383

embedded capacity 361

embedding reports 34

encrypted connections 140, 144

enumerateObjectInstances 400

error handling 169

Esri 73

ETL 38, 39, 157

Excel

- connecting to 85

Excel AzureML Add-in 333

Excel files

- importing 55, 149
- reporting options 89

Excel Online 118

Excel reports 59, 77

- in Power BI Mobile 118

Exchange 142

Explain Increase/Decrease 252

explicit measures

- implementing 225
- introducing 210

exporting data 63, 275

external sharing 98, 275

external users

- sharing with 290

F

Facebook 142

fact tables 38, 124

favorites 21, 96

featured dashboards 44

Field Properties Pane 136

fields

- adding to reports 68
- and icons 68

Fields pane 67

Filled Map 72

FILTER function 215

filter types 66, 67

filtering data 165

- in Power BI Mobile 117

Filters pane 62

fixed-length files 151

Flow 35

focus mode 92

forecasting 67, 253

- foreign key 127
- Format Painter 135
- formatting columns 184
- Forms Authentication 380
- formula bar
 - in Data View 213
 - in Query Editor 163
- fraud detection 12
- fully-additive measures 232
- Funnel Chart 70

G

- gateway 33, 48
 - defined 48
- Gateway Role 26
- gateways
 - programatic access 346
- Gauge 73
- GenerateTokenRequest 383
- geo fields 68
- geo filter 117
- Geoflow 7
- Geography data type 184
- GeoJSON 72
- Get Dashboards API 365
- Get Datasets API 369
- Get Groups API 365, 370
- Get Reports API 370
- Get Tiles API 366
- GetAccessToken 377
- GetAuthorizationCode 376
- ggplot2 256
- GitHub 142
- GlobeMap 7, 19
- Google Analytics 15, 29, 48, 53, 142
- gridlines 64, 136
- grouping data 137, 245

H

- Hadoop 142
- HDInsight 10, 48
- hierarchies
 - defined 204
 - implementing 205
- HTML5 21
- HTTP verbs 341
- hybrid BI solutions 33

I

- IBM DB2 142
- image areas 251
- images 250
- implicit measures 210
 - implementing 222
- implicit relationships 315

- importing data 48, 129
 - filtering 147
 - from relational databases 146
 - from text files 150
 - from Web 153
- inactive relationships 195, 201
- individual subscriptions 105, 307
- in-focus mode 63
- in-line date hierarchies 205
- Inner Join 171
- interactive data analysis 315
- interactive features 15, 62, 64
 - in native apps 117
- interactive highlighting 62
- Internet of Things 33, 321
- iOS 21
- iOS native app 109
- IoT *See* Internet of Things
- iPad 109
- iPhone 110
- IVisual interface 387

J

- JavaScript Object Notation *See* JSON
- JSON 154

K

- key columns 127
- key performance indicators 152
- KPI 74

L

- LASTNONBLANK function 232
- Left Outer Join 171
- licenses 271
- Line Chart 69
- links 249
- live connections 15, 27, 43, 48, 77, 130
 - and Power BI 57
- lookup tables 125
- LOOKUPVALUE function 215, 230, 238

M

- M language 35, 159
- MailChimp 142
- many-to-many cardinality 128
- many-to-many relationships 128
 - implementing 231
- Map Shaper 73
- maps 72
- Marketo 15
- Master Data Services 11
- Matrix visual 71, 80
- MAX function 213

- MAXX function 213
- MDX 153, 314
- measures
 - implicit vs. explicit 210
 - introducing 210
 - vs. calculated columns 211
 - when to use? 211
- Microsoft Data Platform 10
- Microsoft Surface 112
- MIN function 213
- MINX function 213
- mobile reports 118
- MOLAP *See* Multidimensional OLAP
- Multi Row Card 74
- Multidimensional 313
- multidimensional cubes 38
- Multidimensional Expressions 314
- Multidimensional OLAP 314
- multifactor authentication 271
- My Workspace 44, 277
- MySQL 142

N

- naming conventions 180
- narratives 263
- natural questions 101
- navigation links 207
- Navigator window 144
- NodeJS 391
- NoSQL 10

O

- OAuth
 - for native clients 350
 - for web apps 350
 - implementing 356
 - parties 349
 - three-leg flow 349
 - understanding 348
- OAuth2 34
- OData feeds 142
- ODBC 142, 143
- Office 365 8, 41
- Office 365 Application Launcher 45
- Office 365 groups 278
- On premises Gateway 57, 131
 - and SSAS 317
 - configuring 293
 - installing 292
 - mapping users 319
 - using 294
 - vs Personal Gateway 291
- OneDrive 57, 85
- one-to-many cardinality 127
- one-to-one cardinality 127
- Open Data Protocol 154

- operators 212
- Oracle 143
- organizational apps 17
 - rights 286
 - understanding 285
- organizational BI 2
 - challenges 38
 - classic solution 37, 312
 - vs. personal BI 316
- organizational content packs
 - viewing 46
- outliers 83

P

- page render 297, 361
- page-level filter 68, 81
- PARALLELPERIOD function 217
- parent-child relationships 230
- PATH function 230
- PATHCONTAINS function 238
- PATHITEM function 230
- pbiviz file 75, 390
- pbix files 20
- personal gateway
 - configuring 283
- Phone View 96, 136
- phone-optimized view 116
- Pie Chart 70, 116
- pinning live pages 62
- pinning report items 307
- pinning reports 100
- pinning visualizations 99
- PostgreSQL 142
- Power BI
 - browser support 109
 - data security 27
 - design tenets 9
 - editions 12
 - problems it solves 8
 - product line 4
 - role in Microsoft BI 12
 - signing up 41
- Power BI Admin 273
- Power BI Desktop
 - availability 133
 - compared with Excel 19
 - defined 18
 - downloading 46
 - features 18
 - for Power BI Report Server 306
 - importing from Excel 20
 - introduced 4
 - updating 140
- Power BI Developer Center 34, 346
- Power BI editions 46
- Power BI Embedded

- capacities 301
- features 23
- getting started 360
- introduced 4
- introduced 4
- licensing 23
- Power BI for Office 365 8
- Power BI Free 13
 - sharing content 299
- Power BI Mobile 29
 - defined 21
 - downloading 46
 - features 21
 - introduced 4
- Power BI portal 43
- Power BI Premium
 - calculator 14
 - introduced 4
 - managing 299
 - understanding 20
- Power BI publisher for Excel
 - downloading 46
- Power BI Publisher for Excel 88
- Power BI Report Server 59
 - in Power BI Mobile 112
 - introduced 4
 - licensing 305
 - pinning items 103
 - understanding 24, 303
- Power BI Service
 - architecture 25
 - defined 3
 - features 15
- Power BI visuals gallery 402
- Power Map 7
- Power Pivot 5, 19
- Power Query 7, 18, 157
- Power View 6, 19
- PowerApps 35
- PowerPoint 61
- predictive analytics 252, 329
 - defined 3
- predictive experiment 3, 332
- predictive features 3
- predictive solutions 33
- premium capacity 20
 - understanding 297
- premium workspaces 298
- prescriptive analytics 3
- primary key 127, 193
- publish to web 61, 275
- publishing content 285
- PubNub 322
- Python 7

Q

- Q&A 16, 46, 259
 - disabling 96
 - embedding 369
 - for creating dashboards 52, 101
 - in Power BI Desktop 135
 - limitations 16
 - tuning 102
 - working with 107
- QR Code
 - Quick Response Code 93
- quantitative scaling 397
- queries
 - appending 171
 - defined 129
 - disabling load 159
 - disabling refresh 159
 - merging 169
 - understanding 162
- Query Editor 145, 147
 - understanding 157
- query folding 164
- query functions
 - creating 172
 - for AzureML 334
- query parameters 159
 - creating 176
- Quick Insights 49
 - in Power BI Desktop 252
 - working with 83
- Quick Response Code 93
- quick styles 71
- Quickbooks Online 142

R

- R 7, 255, 275
 - data shaping with 160
- ranking functions 217
- RANKX function 221
- Reading View 50, 60
- real-time BI 33, 321
- real-time dashboards 328
- real-time tile 323
- recent sources 190
- refresh plan 311
- refreshing
 - data 48
 - reports 62
- refreshing data 48
- RELATED function 215, 221
- related insights 93
- RELATEDTABLE function 215, 221
- Relational OLAP 314
- relationship cardinality 198
- relationships
 - auto-detecting 196, 197

- auto-discovering 164
- cardinality 127
- changing to inactive 201
- creating in Data View 198
- creating in Relationships View 201
- introduced 126
- limitations 194
- managing 199, 201
- rules 193
- understanding 193
- Relationships View 134
 - understanding 200
- reply URL 350
- Report Builder 11
- report pages 60
- Report View 134
- Report Viewer control 305
- reporting roadmap 304
- Reporting Services reports 59
- report-level filter 66
- reports
 - actions 50
 - API 345
 - defined 50
 - distributing 51
 - filtering by URL 373
 - importing 50
 - options for creating 50
 - types of 59
 - working with 79
- ReportServer database 306
- ReportServerTempDB database 306
- Representational State Transfer 339
- resharing dashboards 98
- REST APIs 34
- Revolution Analytics 256
- Ribbon Chart 69
- RLS *See* row-level security
- ROLAP *See* Relational OLAP
- role membership 234
- role-playing relationships 194, 201
 - implementing 228
- roles
 - creating 235
 - defined 233
 - testing 238
- root cause analysis 82
- row context 209
- row-level security 49, 137, 232, 281
 - adding members 236
- RScript 142
- RStudio 256

S

- Salesforce 15, 29, 142

- SAMEPERIODLASTYEAR function 217
- samples 43
- SAP Hana 142
- scalability 315
- Scanner 113
- Scatter Chart 70, 115
- seasonality 83, 253
- security policies 239
- See Data 138
- See Records 62, 138, 244
- segmentation 254
- Selection Pane 61, 136, 265
- self-service BI 1
 - benefits 39
 - cautions 40
 - understanding 37
 - vs. organizational BI 316
- self-service data models 31
- semantic model 313
- semi-additive measures 232
- sentiment analysis 326
- service apps 53
- Shape charts 70
- Shape Map 72
- shapes 65
- shared capacity 20, 297
- SharePoint lists 142
- SharePoint Online 57, 85
- SharePoint Server 6
- sharing
 - comparing options 287
 - dashboards 13, 21, 29
 - options 17
 - with Power BI Mobile 22
- Single Card 74
- Sketch Tool 112
- Slicer 74, 100
- snapping to grid 64
- snowflake schema 125
- solution templates 137
- sorting 71
- Spark 27, 48, 142
- sparkline 394
- Spotlight 266
- spreadmarts 40
- SQL Data Warehouse 12, 142
- SQL Server Mobile Report Publisher 307
- SQL Server Profiler 321
- SQL Server Reporting Services *See* SSRS
- SQL Server StreamInsight 11
- SSRS
 - importing from reports 153
 - KPIs 118
 - limitations for Power BI 307

- Stacked Bar Chart 69
- Stacked Column Chart 69
- star schema 124
- STDEV.P function 214
- STDEV.S function 214
- STDEVX.P function 214
- STDEVX.S function 214
- steady share 83
- stepped layout 243
- storage limits 46
- stored credentials 310
- stored procedures 143
- streaming API 322
- streaming datasets 50, 322
- subscriptions 18, 62
 - creating 76
 - limitations 78
- SUM function 213, 232
- SUMX function 213, 221
- supply chain 12
- SVG 34
- SweetIQ 142
- Sybase 142
- synonyms 103, 202
- Synoptic Panel 251

T

- table columns 181
- table filters 233
- Table Storage 142
- Table visual 71
- tables
 - importing 190
 - renaming 187
 - understanding 180
- Tabular 313
 - role in Power BI 26
 - upgrading to 316
- Tabular models 38
- team BI 2, 32
- templates 139, 275
- tenant 42
- Teradata 142
- text boxes 65
- Text data type 183
- tile flow 52, 91
- tiles
 - embedding 364
 - refreshing 96
 - understanding 91
 - working with 105, 106
- Time data type 183
- time intelligence functions 217
- time series forecasting 253, 257
- time series insights 83
- top N filtering 67

TopoJSON 72
TOTALYTD function 227
transactional reports 38
transforming data 165
Treemap 71, 82
TRUE/FALSE data type 183
trusted account 383
Twillio 142
Twitter 325
type definitions 392
TypeScript 34, 388

U

Universal Principal Name 318
unknown member 199
unmanaged tenant 269
unpivoting columns 167
Usage metrics 274
USERRELATIONSHIP function 215,
229
USERNAME function 237, 383
USERPRINCIPALNAME function
237, 383

V

VALUES function 215
VAR.P function 214
VAR.S function 214
VARX.P function 214
VARX.S function 214
v-cores 297
Visio diagrams 251
visual Interactions 65
VisualInitOptions 396
visualizations
 best practices 69
 formatting 66
 types of 69
Visualizations pane 65
visual-level filter 68, 82

W

web application proxy 307
Web URL category 249
Web view 96
WebGL 34
whoami 318
Whole Number data type 183

Windows credentials 144
Windows native app 111
Windows Store 133
workspace
 bulk assignments 302
 individual assignments 303
 moving to capacity 302
workspaces
 and Power BI Embedded 363
 disabling 281
 for Power BI Embedded 363
 introduced 17
 privacy settings 279
 understanding 277

X

xVelocity 5, 129, 191, 313

Y

YTD calculations 227

Z

Zendesk 15, 142