

index

- A**
 - AAD *See* Azure Active Directory
 - access token 425
 - ACE OLE DB provider 208
 - AcquireTokenAsync 430
 - Active Directory 149
 - active relationships 221
 - Admin Portal 65, 326
 - aggregation hits 167
 - aggregation table 167
 - aggregations 165
 - alerts 20, 97, 99, 116
 - in Power BI Mobile 120
 - ALL function 244, 256
 - ALLEXCEPT function 244
 - ALLOBLANKROW function 244
 - Analysis Services
 - connecting to 61, 137
 - importing data from 158
 - integrating with Power BI 373
 - analytical features 232
 - Analytics tab 71
 - Analyze in Excel 49, 93, 330
 - for drilling through 280
 - Android native app 116
 - animation 446
 - annotations 24, 126
 - appFigures 149
 - application registration 397
 - apps 23, 46
 - AppSource 35, 37, 57, 71, 341
 - ArcGIS 78, 330
 - Area Chart 74
 - auditing 331
 - AuthenticationContext class 402
 - AuthenticationResult 425
 - AutoComplete 243
 - AVERAGEX function 244
 - Azure Active Directory 27, 44
 - external users 345
 - Azure Analysis Services 51, 372
 - Azure Data Catalog 11
 - Azure Data Factory 11
 - Azure Event Hubs 384
 - Azure Machine Learning 7, 11, 36, 312
 - creating models 313
 - integrating with Power BI 316
 - Azure Management Portal 399
 - Azure Marketplace 149
 - Azure Search Service 330
 - Azure SQL Data Warehouse 29, 51
 - Azure SQL Database 51
 - Azure Stream Analytics 11, 384, 385
 - Azure Table Storage 11
 - Azure Traffic Manager 27
- B**
 - B2B 344
 - B2C 344
 - background image 272
 - Bar Chart 74, 85
 - bar chart visualization 273
 - Basic Map 77
 - BI pro 34
 - Big Data 12
 - Binary data type 207
 - binning 284
 - BISM 369
 - bitness considerations 139
 - bookmarks 66, 295
 - Bookmarks Pane 143, 295
 - Bullet Chart 81
 - business intelligence 1
 - business user 30
- C**
 - CALCULATE function 244, 245, 256
 - calculated columns
 - and row context 238
 - implementing 248
 - introducing 238
 - storage 238
 - when to use 239
 - calculated tables 247
 - CALCULATETABLE function 244
 - calendars 333
 - Canvas 37
 - Canvas apps 298
 - Capacity Admins 355
 - Capacity Assignment 355
 - capacity nodes 352
 - capacity settings 356
 - capacity workloads 357
 - chromeless mode 49
 - cloud services 18, 50
 - Clustered Bar Chart 74
 - Clustered Column Chart 74
 - clustering 305
 - collaborative features 333
 - Column Chart 74, 85, 86
 - column from examples 173, 180
 - columns
 - hiding 209
 - referencing in DAX 242
 - removing 209
 - renaming 209
 - resizing 209
 - sorting 210
 - columnstore index 6
 - Combination Chart 74
 - Combo Chart 85
 - comments 98
 - in Power BI Mobile 124
 - Common Data Model 192, 298
 - Common Data Service for Apps 193
 - composite model
 - introduced 33
 - composite models 162
 - computed entity 195
 - conditional access 323
 - conditional formatting 76, 285
 - Content Delivery Network 28
 - content packs 49
 - conversation *See* comments
 - correlations 88
 - Cortana 12, 291, 330
 - Cortana Analytics Suite 3, 11, 313
 - Cortana answer cards 293
 - Cosmos DB 11, 149
 - COUNT function 244
 - COUNTA function 244
 - COUNTAX function 244
 - COUNTBLANK function 244
 - COUNTROWS function 244
 - COUNTX function 244
 - Create Relationship window 225
 - credit risk management 12
 - cross filtering 134, 222
 - cross highlighting 19
 - cross-sell 11
 - Crosstab report 274
 - CSS 437
 - CSV files 157
 - Currency data type 207
 - custom apps

- permissions 398
- registering in Azure 398
- registering in Power BI 423
- custom columns
 - adding in query 180
 - in Query Editor 172
- custom page sizes 65
- custom sorting 205, 210
- custom visuals 34, 37
 - capabilities 447
 - debugging 441
 - host integration 434
 - importing 70, 451
 - packaging 449
 - publishing 450
 - understanding 80, 433
- CUSTOMDATA function 375
- customer acquisition 11

D

- D3.js 37, 437
- dashboard actions 101
- dashboards
 - actions 56
 - API 392
 - defined 55
 - distributing 56
 - duplicating 102
 - in Power BI portal 48
 - mobile viewing 119
 - options for creating 56, 105
 - printing 102
 - sharing in Power BI Mobile 125
 - sharing options 102
 - understanding 96
 - working with 111
- Data Analysis Expressions 370
 - functions 243
 - operators 242
 - understanding 237
- data analyst 32
- data bars 285
- data categories 234
- data classification 330
- data collation 205
- data connectors 37
- data entry form 300
- data frames 309
- data import API 393
- Data Lake 12, 149, 196
- data mart 369
- Data Mining add-in 7
- data models
 - publishing 146
 - understanding 129
- data refresh
 - scheduling 337
- data security 262
 - and embedding 431
 - and workspaces 336
 - testing 265
- Data Source Settings 147
- data sources
 - in Power BI Desktop 33
 - managing 366
 - types of access 51
- data storytelling 289
- data types 206
 - reason for changing 207
- Data View 140
- data warehouse 369
- data warehousing 35, 40
- Data-driven Documents *See* D3.js
- dataflow entities 195
- dataflows
 - connecting to 200
 - exporting 199
 - introduced 22
 - settings 329
 - storage 196
 - when to use 194
- dataRoles 447
- datasets
 - actions 52
 - creating programmatically 403
 - definitions 390
 - deleting 53
 - understanding 50
- dataView object 444
- dataViewMappings 447
- Datazen 11
- Date data type 207
- date table 235
- date tables
 - creating with Power Query 188
 - importing 155
 - understanding 132
- DATEADD function 247
- DATESBETWEEN function 247
- DATESINPERIOD function 247
- DATESMTD function 247
- DATESQTD function 247
- DATESYTD function 247
- DAX 237, *See* Data Analysis Expressions
- DAX Studio 255
- DAXMD 137
- Decimal Number data type 206
- Decision Tree 314
- defaultRetentionPolicy 394
- denormalization 131
- descriptive analytics 3
- dimensions 40, 131

- DirectQuery 82, 136, 370
 - limitations 164
- DirSync 321
- display folders 235
- DISTINCT function 244, 245
- DISTINCTCOUNT function 244
- distribution lists 325
- DNS Service 27
- Doughnut Chart 75
- Drill tab 145
- drilling across 279
- drilling down 66, 145, 273, 278
- drilling through 56, 97, 113, 120, 280
- drillthrough filters 281
- drillthrough pages 280
- dual storage 163
- duplicating pages 70
- Duration data type 207
- dynamic data security 266
- Dynamic Management Views 255
- Dynamics CRM 18, 31

E

- EARLIER function 244
- EARLIEST function 244
- Edit Interactions 144, 274
- Edit Queries 140
- Editing View 69
- effective identity 432
- EffectiveUserName 363, 374
- embed codes 65, 328
- embed configuration 414
- embed token 431
- embedded capacity 408
- embedding reports 37
- encrypted connections 147, 151
- Enter Data 161
- enumerateObjectInstances 448
- error handling 182
- Esri 78
- ETL 40, 41, 169
- Excel
 - connecting to 91
- Excel AzureML Add-in 315
- Excel files
 - importing 59, 156
 - reporting options 94
- Excel Online 123
- Excel reports 63, 82
 - in Power BI Mobile 123
- Explain Increase/Decrease 303
- explicit measures
 - implementing 255
 - introducing 240
- exporting data 67, 329
- external sharing 104, 329, 345

F

- Facebook 149
- fact tables 40, 130
- favorites 24, 101
- Field Properties Pane 143
- fields
 - adding to reports 73
 - and icons 73
- Fields pane 72
- Filled Map 77
- FILTER function 244, 245
- filter types 71
- filtering data 178
- filters
 - compared to slicers 277
 - locking and hiding 278
- Filters pane 66, 278
- fixed-length files 158
- Flow 13, 37
- focus mode 98
- forecasting 71, 304
- foreign key 133
- Format Painter 141
- formatting columns 208
- Forms Authentication 429
- formula bar
 - in Data View 242
 - in Query Editor 175
- fraud detection 12
- fully-additive measures 261
- Funnel Chart 75

G

- gateway 35, 50
 - defined 52
- Gateway Role 28
- Gauge 78
- GDPR 44
- GenerateTokenRequest 431
- geo fields 73
- Geoflow 7
- Geography data type 207
- GeoJSON 77
- Get Datasets API 417
- Get Groups API 414
- Get Reports API 418
- Get Tiles API 414
- GetAccessToken 425
- GetAuthorizationCode 424
- ggplot2 307
- GitHub 149
- GlobeMap 8, 17
- Google Analytics 18, 31, 51, 57, 149
- gridlines 69, 142
- grouping data 143, 283

H

- Hadoop 149
- HDInsight 11, 51
- hierarchies 232, 233
- Home page 47
- HTML5 23
- HTTP verbs 391
- hybrid BI solutions 35

I

- IBM DB2 149
- image areas 289
- images 288
- implicit measures 239
 - implementing 252
- implicit relationships 371
- importing data 51, 135
 - filtering 154
 - from relational databases 152
 - from text files 157
 - from Web 160
- inactive relationships 222, 228
- incremental refresh 216
- individual subscriptions 110, 364
- in-focus mode 67
- in-line date hierarchies 232
- Inner Join 184
- interactive data analysis 371
- interactive features 19, 66, 68
 - in native apps 122
- interactive highlighting 67
- Internet of Things 36, 380
- iOS 23
- iOS native app 114
- IoT *See* Internet of Things
- iPad 114
- iPhone 115
- IVisual interface 435

J

- JavaScript Object Notation *See* JSON
- JSON 142, 149, 192, 196, 199

K

- key columns 133
- KPI 79, 158

L

- LASTNONBLANK function 262
- Left Outer Join 184
- licenses 323
- Line Chart 74
- line chart visualization 275
- linked entity 196

- links 287
- live connections 18, 29, 46, 51, 82, 136
 - and Power BI 61
- logo 272
- lookup tables 131
- LOOKUPVALUE function 244, 245, 260, 268

M

- M language 37, 171
- MailChimp 149
- mail-enabled groups 325
- many-to-many relationships
 - implementing 261
- Map Shaper 78
- Map visual 275
- maps 77
- Marketo 18
- Master Data Services 11
- Matrix visual 76, 85, 274
- MAX function 244
- MAXX function 244
- MDX 159, 370
- measures
 - implicit vs. explicit 240
 - introducing 239
 - vs. calculated columns 240
 - when to use? 240
- Microsoft Data Platform 10
- Microsoft Surface 117
- MIN function 244
- MINX function 244
- mobile reports 123
- Model-driven apps 298
- MOLAP *See* Multidimensional OLAP
- Multi Row Card 79
- Multidimensional 369
- multidimensional cubes 40
- Multidimensional Expressions 370
- Multidimensional OLAP 370
- multifactor authentication 323
- My Workspace 47, 332
- MySQL 149

N

- naming conventions 203
- narratives 294
- natural questions 107
- navigation links 234
- Navigator window 151
- NodeJS 439
- NoSQL 11

O

- OAuth

- for native clients 396
- for web apps 396
- implementing 402
- parties 395
- three-leg flow 395
- understanding 394
- OAuth2 36
- OData feeds 149
- ODBC 149
- Office 365 8, 44
- Office 365 Application Launcher 48
- Office 365 groups 325
- On premises Gateway 61, 137
 - and SSAS 373
 - configuring 348
 - installing 347
 - mapping users 375
 - using 349
 - vs Personal Gateway 346
- OneDrive 61, 91
- one-to-many cardinality 133
- one-to-one cardinality 133
- operators 242
- Oracle 149
- organization visuals 329
- organizational apps 20
 - rights 341
 - understanding 340
- organizational BI 2
 - challenges 40
 - classic solution 39, 368
 - vs. personal BI 372
- organizational content packs
 - viewing 49
- outliers 88

P

- page render 353, 409
- page-level filter 73, 86
- paginated reports 377
- PARALLELPERIOD function 247
- parent-child relationships 259
- PATH function 260
- PATHCONTAINS function 268
- PATHITEM function 260
- pbiviz file 80, 439
- pbix files 18
- Performance inspector 102
- persistent filters 54
- personal gateway
 - configuring 338
- Phone View 101, 142
- phone-optimized view 121
- Pie chart 275
- Pie Chart 75, 121
- pinning live pages 66

- pinning report items 363
- pinning reports 106
- pinning visualizations 105
- PostgreSQL 149
- Power BI
 - browser support 114
 - data security 29
 - design tenets 9
 - editions 13
 - problems it solves 8
 - product line 4
 - role in Microsoft BI 13
 - signing up 43
- Power BI Admin 326
- Power BI Desktop
 - availability 139
 - compared with Excel 17
 - defined 16
 - downloading 49
 - features 16
 - for Power BI Report Server 362
 - importing from Excel 18
 - introduced 4
 - updating 147
- Power BI Developer Center 37
- Power BI editions 49
- Power BI Embedded
 - capacities 356
 - features 25
 - getting started 408
 - introduced 4
 - introduced 4
 - licensing 26
- Power BI for Office 365 8
- Power BI Free 14
 - sharing content 354
- Power BI Mobile 32
 - defined 23
 - downloading 49
 - features 23
 - introduced 4
- Power BI portal 45
- Power BI Premium
 - calculator 14
 - introduced 4
 - managing 355
 - understanding 22
- Power BI publisher for Excel 49
- Power BI Publisher for Excel 93
- Power BI Report Server 63
 - in Power BI Mobile 117
 - introduced 4
 - licensing 362
 - pinning items 109
 - understanding 26, 359
- Power BI Service
 - architecture 27

- defined 4
- Power BI visuals gallery 450
- Power Map 7
- Power Pivot 5, 16
- Power Platform 12
- Power Query 7, 16, 169
- Power View 6, 16
- PowerApps 37
 - integrating with Power BI 299
 - introduced 12
 - understanding 298
- PowerPoint 65
- PowerShell 405
- predictive analytics 303
 - defined 3
 - predictive experiment 3, 315
 - predictive features 3
 - predictive solutions 36
 - premium capacity 22
 - understanding 352
 - premium workspaces 354
- prescriptive analytics 3
- primary key 133, 220
- publish to web 65, 329
- publishing content 339
- PubNub 381
- Python 310
- Python 7

Q

- Q&A 19, 49, 290
 - disabling 102
 - embedding 417
 - for creating dashboards 56, 107
 - in Power BI Desktop 141
 - limitations 20
 - tuning 108
 - working with 113
- Q&A Explorer 290
- QR Code
 - Quick Response Code 99
- quantitative scaling 446
- queries
 - appending 185
 - defined 135
 - disabling load 171
 - disabling refresh 171
 - merging 183
 - understanding 174
- Query Editor 152, 153
 - understanding 169
- query folding 176, 218
- query functions
 - creating 185
 - for AzureML 317
- query parameters 171, 216

- creating 190
- Quick Insights 53
 - adding to dashboard 108
 - in Power BI Desktop 303
 - working with 88
- Quick Response Code 99
- quick styles 76
- Quickbooks Online 149

R

- R 7, 306, 330
 - data shaping with 172
- ranking functions 247
- RANKX function 251
- Reading View 54, 64
- real-time BI 36, 380
- real-time dashboards 386
- real-time tile 382
- recent sources 214
- refresh plan 367
- refresh policy 218
- refreshing
 - data 51
 - reports 66
- refreshing data 52
- RELATED function 244, 251
- related insights 99
- RELATEDTABLE function 244, 251
- Relational OLAP 370
- relationship cardinality 225
- relationships
 - auto-detecting 223, 224
 - auto-discovering 177
 - cardinality 133
 - changing to inactive 228
 - creating in Data View 225
 - creating in Relationships View 229
 - introduced 132
 - limitations 221
 - managing 226, 228
 - redundant paths 133
 - rules 220
 - strong and weak 164
 - understanding 219
- Relationships View 140
 - understanding 227
- reply URL 396
- Report Builder 11
- report pages 65
- Report View 141
- Report Viewer control 361
- reporting roadmap 360
- Reporting Services reports 63
- report-level filter 71
- reports
 - actions 53

- API 394
 - defined 53
 - distributing 55
 - filtering by URL 421
 - importing 55
 - options for creating 55
 - types of 63
 - working with 83
- ReportServer database 362
- ReportServerTempDB database 362
- Representational State Transfer 389
- resharing dashboards 103
- REST APIs 36, 37
- Revolution Analytics 307
- Ribbon Chart 74
- ROLAP *See* Relational OLAP
- role membership 264
- role-playing relationships 221, 228
 - implementing 258
- roles
 - creating 265
 - defined 263
 - testing 268
- root cause analysis 87
- row context 238
- row-level security 143, 262, 336
 - adding members 266
- RScript 149
- RStudio 308

S

- Salesforce 18, 31, 149
- SAMEPERIODLASTYEAR 247
- samples 46
- SAP Hana 149
- scalability 372
- Scanner 118
- Scatter Chart 75, 120
- seasonality 88, 304
- security groups 325
- security policies 268
- See* Data 145
- See* Records 66, 145, 280
- segmentation 305
- Selection Pane 66, 142, 297
- self-service BI 1
 - benefits 41
 - cautions 42
 - understanding 39
 - vs. organizational BI 372
- self-service data models 33
- semantic model 369
- semi-additive measures 261
- sentiment analysis 384
- service apps 57
- Shape charts 75
- Shape Map 77
- shapes 69
- shared capacity 22, 352
- SharePoint lists 149
- SharePoint Online 61, 91
- SharePoint Server 7
- sharing
 - comparing options 342
 - dashboards 14, 23, 32
 - options 20
 - with Power BI Mobile 24
- Single Card 79, 273
- Sketch Tool 117
- Slicer 79, 106
- slicers
 - synchronizing 276
 - with dates 275
- snapping to grid 69
- snowflake schema 131
- solution templates 144
- sorting 76, 273
- Spark 29, 51, 149
- sparkline 443
- Spotlight 297
- spreadmarts 42
- SQL Data Warehouse 12, 149
- SQL Server Mobile Report Publisher 364
- SQL Server Profiler 377
- SQL Server Reporting Services *See* SSRS
- SQL Server StreamInsight 11
- SSRS
 - importing from reports 160
 - KPIs 123
 - limitations for Power BI 363
- Stacked Bar Chart 74
- Stacked Column Chart 74
- star schema 130
- STDEV.P function 244
- STDEV.S function 244
- STDEVX.P function 244
- STDEVX.S function 244
- steady share 88
- stepped layout 279
- storage limits 49
- stored credentials 366
- stored procedures 150
- streaming API 380
- streaming datasets 53, 381
- subscriptions 21, 66
 - creating 81
 - limitations 83
- SUM function 244, 262
- SUMX function 244, 251
- supply chain 12
- SVG 37

Sybase 149
synonyms 108, 229
Synoptic Panel 289

T

table columns 203
table filters 263
Table Storage 149
Table visual 76, 274
tables
 importing 214
 renaming 211
 understanding 203
Tabular 369
 role in Power BI 29
Tabular models 40
team BI 2, 35
templates 146, 330
tenant 45
Teradata 149
text boxes 69
Text data type 206
tile flow 56, 96
tiles
 embedding 413
 refreshing 102
 understanding 96
 working with 111, 112
Time data type 207
time intelligence functions 246
time series forecasting 304, 308
time series insights 88
tooltip pages 282
tooltips 281
top N filtering 72
TopoJSON 77
TOTALYTD function 257

transactional reports 40
transforming data 178
Treemap 76, 87
TRUE/FALSE data type 207
trusted account 431
Twillio 149
Twitter 384
type definitions 440
TypeScript 37, 436

U

Universal Principal Name 374
unknown member 226
unmanaged tenant 321
unpivoting columns 179
Usage metrics 327
USERRELATIONSHIP function 244,
 259
USERNAME function 267, 432
USERPRINCIPALNAME function
 267, 432

V

VALUES function 244
VAR.P function 244
VAR.S function 244
VARX.P function 244
VARX.S function 244
v-cores 353
Visio diagrams 289
visual header 54
visual Interactions 70
VisualInitOptions 444
visualizations
 best practices 74
 formatting 71
 types of 73

Visualizations pane 70
visual-level filter 73, 87

W

web application proxy 363
Web URL category 287
Web view 101
WebGL 37
whoami 374
Whole Number data type 207
Windows credentials 150
Windows native app 116
Windows Store 139
workspaces
 and Power BI Embedded 411
 bulk assignments 358
 comparing v1 and v2 334
 for Power BI Embedded 411
 individual assignments 359
 introduced 20
 limitations 334
 list of 329
 moving to capacity 358
 understanding 332
writeback 299

X

xVelocity 6, 135, 369

Y

YTD calculations 257

Z

Zendesk 18, 149